

AMENDMENT TO THE CLAIMS

Please amend the presently pending claims as follows:

1. (Currently Amended) A radiocommunications device capable of operating on at least two transmission frequency bands and at least two reception frequency bands of a first predetermined standard, the device comprising:

first means for implementing communications according to the first predetermined standard, and

second means for implementing communications according to a second predetermined standard, at least partially using at least one of said frequency bands, wherein the second predetermined standard comprises a walkie-talkie standard and the second communications implementation means use the same frequency band for transmission and reception.

2. (Cancelled).

3. (Previously Presented) The radiocommunications device according to claim 2, wherein said same frequency band used for transmission and reception is chosen so as to include a portion in which said device is capable of transmitting according to said first standard and a portion in which it is capable of receiving according to said first standard.

4. (Previously Presented) The radiocommunications device according to claim 1 wherein said first and second communications implementation means comprise at least some shared processing means.

5. (Previously Presented) The radiocommunications device according to claim 4, wherein said shared processing means belong to the group including:

-digital processing means;

- filtering means;
- amplification means; and
- modulation and/or demodulation means.

6. (Previously Presented) The radiocommunications device according to claim 4, wherein, said shared processing means include digital processing means and storage means, containing data for command and control of said digital processing means, according to said first standard and according to said second standard.

7. (Previously Presented) The radiocommunications device according to claim 6, wherein said command and control data for said second standard implement digital communications.

8. (Previously Presented) The radiocommunications device according to claim 6, wherein said command and control data for said second standard simulate analog communications.

9. (Previously Presented) The radiocommunications device according to claim 1, wherein said first predetermined standard belongs to the group including GSM, GPRS and UMTS.

10. (Cancelled)

11. (Previously Presented) The radiocommunications device according to claim 1, wherein said transmission frequency bands are 825-849 MHz and 880-915 MHz, and said reception frequency bands are 869-894 MHz and 925-960 MHz.

12. (Previously Presented) The radiocommunications device according to claim 11, wherein the frequency band used by said second communications implementation means is 868-870 MHz, for transmission and reception.

13. (Previously Presented) The radiocommunications device according to claim 11, wherein the frequency band used by said second communications implementation means is 902-928 MHz, for transmission and reception.

14. (Previously Presented) The radiocommunications device according to claim 1, wherein it includes user-system interface elements specific to the implementation of communications according to said second standard.

15. (Currently Amended) A radiocommunications device comprising:

- at least two transmission frequency bands and at least two reception frequency bands of a first predetermined standard;

- a single antenna; and

- a shared digital processor, which implements communications through the single antenna according to the first predetermined standard and implements communications through the single antenna according to a second predetermined standard, at least partially using at least one of said frequency bands, wherein the second predetermined standard comprises a walkie-talkie standard and the shared digital processor uses the same frequency band for transmission and reception to implement communications according to the second predetermined standard, and wherein the same frequency band is chosen so as to include a portion in which the device is capable of transmitting according to the first standard and a portion in which the device is capable of receiving according to the first standard.

16. (Cancelled).

17. (Previously Presented) The radiocommunications device of claim 15 and further comprising:

a storage device containing data for command and control data of the digital processor, according to the first standard and according to the second standard.

18. (Previously Presented) The radiocommunications device according to claim 17, wherein the command and control data for said second standard implement digital communications.

19. (Previously Presented) The radiocommunications device according to claim 17, wherein the command and control data for the second standard simulate analog communications.